



New One-Piece Angler[™] Pipe and Conduit Clamp from Thomas & Betts Offers Easy Installation, Easy Access

MEMPHIS, Tenn. – May, 2005 – The new one-piece Angler[™] Pipe and Conduit Clamp from Thomas & Betts is quick and easy to install. Just snap apart the two halves of the strut strap, fit to the pipe or conduit, slide the pre-threaded bolt through the innovative keyhole-shaped opening in the strap and tighten. An extruded, tapped thread form holds it securely, offering the loading performance of a hex nut but with easier handling. The signature bent tab design of the Angler Pipe and Conduit Clamp readily allows the clamp halves to be assembled and the bolt to extend up at a 30-degree angle, providing the installer immediate access to the bolt with a screwdriver or power tool — even if the clamps are installed side by side.

The Thomas & Betts Angler Pipe and Conduit Clamp offers the highest load ratings of any universal break-apart strap in the industry. Embossed ribs strengthen the hooks connecting the strap to the strut, significantly increasing the loading capacity of the heavy gauge steel strap.

The new strap is sized to fit snugly to EMT, rigid conduit, IMC and standard pipe sizes of the same trade size. Thomas & Betts Angler Pipe and Conduit Clamps are UL listed and CSA approved.

For more information on Thomas & Betts Angler Pipe and Conduit Clamp, visit <u>www.tnb.com</u> or contact your Thomas & Betts sales representative at (800) 816-7809.

Corporate Overview

Thomas & Betts Corporation (NYSE: TNB) is a leading designer and manufacturer of electrical connectors and components used in industrial, commercial, communications and utility markets. The company is also a leading producer of commercial heating units and highly engineered steel structures used, among other things, for utility transmission. Headquartered in Memphis, Tenn., the company has manufacturing, distribution and office facilities worldwide. In 2004, the company reported sales of \$1.5 billion.

###

Thomas®Betts

A Whole New Slant on Time Savings!



Angler[™] Pipe and Conduit Clamp









Superstrut®

Angler[™] Pipe and Conduit Clamp

Angled for Easy Tightening!

A difficult angle can make it time-consuming to fit a clamp to a pipe or conduit. The bent tab design allows the bolt to extend up at a 30° angle, providing easy access to the bolt even when clamps are installed side by side. Simply slide the pre-threaded bolt through the keyhole-shaped opening and tighten. And no need to unscrew the bolt before installing!

- Easy tool access to the bolt with a screwdriver or power tool, even when clamps are installed side by side
- Keyhole-shaped opening in the strap allows the bolt to be fed through the strap without first being unthreaded
- One piece design—no disassembly needed, no parts to lose or drop. Convenient to carry and store
- · Fits snuggly to EMT, IMC, rigid, and standard pipe
- Embossed ribs strengthen the hooks connecting the strap to the strut
- Highest load ratings of any universal break-apart strap in the industry
- UL listed and CSA approved
- Integrated, rolled threading provides the same load performance of a hex nut without the extra hardware



Easy to Install



One-piece design snaps apart.



Hex head screw fits through keyhole.



Clamp fits to the edge of conduit.



Tighten with manual or power tool.

Ordering Information

Cat. Number	Size	Strap Thickness	Design Load Lbs.	Installation Torque	UPC Number
Goldgalv [®] Finish					
709 1/2	1⁄2"	14 ga.	400	40 in. lbs.	61601311279
709 3/4	3⁄4"	14 ga.	600	40 in. lbs.	61601311280
709 1	1"	14 ga.	600	40 in. lbs.	61601311281
709 1 1/4	1 ¼"	14 ga.	600	40 in. lbs.	61601311282
709 1 1/2	1 ½"	12 ga.	800	60 in. lbs.	61601311283
709 2	2"	12 ga.	800	60 in. lbs.	61601311284
Silvergalv [®] Finish					
709 1/2 EG	1/2"	14 ga.	400	40 in. lbs.	61601311285
709 3/4 EG	3⁄4"	14 ga.	600	40 in. lbs.	61601311286
709 1 EG	1"	14 ga.	600	40 in. lbs.	61601311287
709 1 1/4 EG	1 ¼"	14 ga.	600	40 in. lbs.	61601311288
709 1 1/2 EG	1 ½"	12 ga.	800	60 in. lbs.	61601311289
709 2 EG	2"	12 ga.	800	60 in. lbs.	61601311290

Clamp sizes are for EMT, IMC and Rigid.

Hex head size 3% for 12% - 114% sizes, 12% for 12% - 2% sizes. Material: Stamped Steel.



Thomas & Betts Corporation Electrical Division 8155 T&B Boulevard Memphis, TN 38125 901-252-5000 Thomas & Betts Ltd. 700 Thomas Avenue Iberville, Québec J2X 2M9 450-347-5318

For customer service, **1-800-816-7809**. For technical questions, call **1-888-862-3289**. © 2005 Thomas & Betts Corporation. All rights reserved. Printed in U.S.A. 05/05/10M GM-1633

Please ask your Thomas & Betts sales representative for a complete catalog

of quality Thomas & Betts electrical products or visit us at www.tnb.com.